# SAM4S



# Flexible Design

# Front & Top Feeding








- ► Both types are waterproof without splash cover
- ► It can be set to 180 or 203dpi in one printer
- ► Fast speed printing up to 250mm/sec

#### **Color Variation**







▲ The smallest receipt printer in the world

# Flexible Composition

# Setting





#### Installation



# **Assembly**



#### Communication

Wi-Fi or Bluetooth module is built in

- Compatible with all major operating systems including Android, iOS and Windows
- Apple MFi certified



#### Interface



▲ USB+Serial



▲ USB+Serial+Ethernet



▲ USB+Bluetooth+Ethernet



▲ USB+Wi-Fi+Ethernet



# Specification

Model		Gcube-100	Gcube-102	
Printing	Resolution	180dpi	203dpi	
	Speed	250m	250mm/sec	
	Cutting	Partial cu	Partial cut/Full cut	
Paper	Width	Max. 80.0/58.0mm		
	Diameter	Max.Ø 80.0mm		
Reliability	TPH	1 x 10 <sup>8</sup> Pulses/150km		
	Cutter	1.5 million cuts		
Connectivity	Interface	- USB + Serial (D-Sub25) - USB + Serial (D-Sub9) + Ethernet - USB + Wi-Fi + Ethernet - USB + Bluetooth + Ethernet		
	NFC Function	ISO/IEC 14443A compatible		
Software	Emulation	EPSON, STAR		
	Driver/Utility	Windows driver, OPOS driver, JPOS driver (Linux), CUPS driver (Linux&Mac), Utility program		
	SDK	Windows, OPOS, JPOS, CUPS, Android, iOS		
	os	POSReady 7, Windows Embedded 8 Industry, Windows 10 IoT Enterprise, Windows 7, Windows 8/8.1, Windows 10, Linux, Mac OS, Android, iOS		
General	Dimension (WxDxH)	123x123x123mm		
	Net weight	750g		
	Color	Black/White		
Option	Installation	Wall mount/Under shelf		
	Accessory	Kitchen bell/2" Partition		
	Sensor	Paper near end sensor		

\*Without any prior notice, design and specification are subject to change





